

POWER BANK PRODUCT COLLECTION

Hame Technology Co., Limited

Add: BLDG#A, Changfang Industrial Park, NO.2 Guihua 5th Road, Pingshan

New District, Shenzhen 518118, Guang dong, China

Tel: 86-755-28398778 Fax: 86-755-28398779

Headquarters Email: market@hametech.com

America E-mail: america@hametech.com

Europe E-mail: europe@hametech.com

Asia E-mail: asia@hametech.com

Web: www.hametech.com



Official Website

ABOUT US

OUR STORY

After a decade of working at and researching on the energy storage industry, in the spring of 2009, our founder, Peter Yang, set out with a vision of creating a cleaner energy storage product that would seamlessly integrate into everyone’s life. Starting with the power bank products in 2010, HAME reached the sales of 18 million units of power banks and partnered up with Mophie, Belkin, Best-Buy and Walmart in the United States, and Varta, Lidl, Hama in Europe. We are now embarking on a new journey and will be dedicating to build up a whole line of power storage products for adventurers and all kinds of off-grid lives.

COMMITMENT TO PRODUCT

HAME is and always will prioritize design, service and quality over everything else. One of the most important aspects to us when designing new products is that we use the highest quality, longest-lasting materials available. With a team of 200 engineers and scientists, we design all of our products from the ground up, rather white-labeling existing products. From BMS motherboard to MPPT controller and inverters, we always choose the best design and materials that stand out and outlast.

EMBARKING ON THE NEW JOURNEY

Stepping into the second decade of our company, we have two factories in Xiangxi prefecture of western Hunan province. Our annual cell battery production capacity could reach 5GWh, supplying our 1 million units of portable energy storage products and 300,000 units of home energy storage products. Our headquarter, based in Shenzhen along with three other subsidiary companies, the Hame Group has over 1200 employees. Everything started with a simple idea, whatever HAME does, we always do it to our best and with same dedication like we had on the first day when we embark on the road. We have gotten a tad bigger, but we never forget to remain true and loyal to our clients and customers, from China to USA, from phone-users to outdoor adventurers!




Battery Manufacture Base



Portable Power Manufacture Base



Energy Storage Manufacture Base



WATERPROOF METAL POWER BANK SERIES

5000mAh / 10000mAh / 20000mAh



P282D



P283D



P284D

SPECS

Model: P282D
Type-C*1
Capacity: 5000mAh, 3.7V, 18.5Wh
Type-C Input: 5V/3A, 9V/2A, 12V/1.5A
Type-C Output: 5V/3A, 9V/2.22A, 12V/1.67A
Output: 20W (Total Max)
Dimensions: 22*22*98mm
Weight: 130±10g

Model: P283D
Type-C*2
Capacity: 10000mAh, 3.7V, 37Wh
Type-C1/C2 Input: 5V/3A, 9V/2A, 12V/1.5A
Type-C1/C2 Output: 5V/3A, 9V/2.22A, 12V/1.67A
Output: 20W (Total Max)
Dimensions: 43*21*98mm
Weight: 210±10g

Model: P284D
Type-C*2
Capacity: 20000mAh, 3.7V, 74Wh
Type-C1/C2 Input: 5V/3A, 9V/2.22A, 12V/1.67A
Type-C1/C2 Output: 5V/3A, 9V/2.22A, 12V/1.67A
Output: 20W (Total Max)
Dimensions: 43*43*98mm
Weight: 360±10g



WATERPROOF METAL POWER BANK WITH BUILT-IN CABLE

5000mAh / 10000mAh / 20000mAh



P290D



P291D




P292D

SPECS

Model: P290D
Type-C*1
Capacity: 5000mAh, 3.7V, 18.5Wh
Type-C Input: 5V/3A, 9V/2A, 12V/1.5A
Type-C Output: 5V/3A, 9V/2.22A, 12V/1.67A
Output: 20W (Total Max)
Dimensions: 22*22*98mm+L:85mm
Weight: 130±10g

Model: P291D
Type-C*2
Capacity: 10000mAh, 3.7V, 37Wh
Type-C1/C2 Input: 5V/3A, 9V/2A, 12V/1.5A
Type-C1/C2 Output: 5V/3A, 9V/2.22A, 12V/1.67A
Output: 20W (Total Max)
Dimensions: 43*21*98mm+L:85mm
Weight: 210±10g

Model: P292D
Type-C*2
Capacity: 20000mAh, 3.7V, 74Wh
Type-C1/C2 Input: 5V/3A, 9V/2.22A, 12V/1.67A
Type-C1/C2 Output: 5V/3A, 9V/2.22A, 12V/1.67A
Output: 20W (Total Max)
Dimensions: 43*43*98mm+L:85mm
Weight: 360±10g



NANO POWER BANK

TYPE-C OUTPUT 20W MAX



P248D

SPECS

Model: P248D
Type-C*2
Capacity: 5000mAh, 3.7V, 18.5Wh
Type-C1/C2 Input: 5V/3A, 9/2A, 12V/1.5A
Type-C1/C2 Output: 5V/3A, 9/2.22A, 12V/1.67A
Output: 15W (Total Max)
Dimensions: 75*36.5*26mm
Weight: 110±10g

NANO POWER BANK WITH BUILT-IN CABLE

TYPE-C OUTPUT 20W MAX



P276D



P275D

SPECS

Model: P275D
Type-C Port*1, Type-C Plug*1, Lightning cable*1
Capacity: 5000mAh, 3.7V, 18.5Wh
Type-C Port Input: 5V/2A, 9V/2A, 12V/1.5A
Type-C Plug Input: 5V/3A, 9V/2A, 12V/1.5A
Type-C Plug Output: 5V/3A, 9V/2.22A, 12V/1.67A
Lightning Output: 5V/3A, 9V/2.22A, 12V/1.67A
Output: 15W (Total Max)
Dimensions: 86*37.7*29mm
Weight: 140±10g

Model: P276D
Type-C Port*1, Lightning *1, Type-C cable*1
Capacity: 5000mAh, 3.7V, 18.5Wh
Type-C Port Input: 5V/2A, 9V/2A, 12V/1.5A
Type-C Cable Input: 5V/3A, 9V/2A, 12V/1.5A
Type-C Cable Output: 5V/3A, 9V/2.22A, 12V/1.67A
Lightning Output: 5V/3A, 9V/2.22A, 12V/1.67A
Output: 15W (Total Max)
Dimensions: 86*37.7*29mm
Weight: 140±10g

NANO POWER BANK

WITH WIRELESS CHARGER & BUILT-IN CABLE

TYPE-C OUTPUT 20W MAX



P277W



SPECS

Model: P277W
Type-C Port*1, Type-C Plug*1, Lightning cable*1, Wireless*1
Capacity: 5000mAh, 3.7V, 18.5Wh
Type-C Port Input: 5V/2A, 9V/2A, 12V/1.5A
Type-C Plug Input: 5V/3A, 9V/2A, 12V/1.5A
Type-C Plug Output: 5V/3A, 9V/2.22A, 12V/1.67A
Lightning Output: 5V/3A, 9V/2.22A, 12V/1.67A
Wireless Output: 3W
Output: 15W (Total Max)
Dimensions: 86*37.7*29mm
Weight: 140±10g

Model: P278W
Type-C Port*1, Lightning*1, Type-C cable*1, Wireless*1
Capacity: 5000mAh, 3.7V, 18.5Wh
Type-C Port Input: 5V/2A, 9V/2A, 12V/1.5A
Type-C Cable Input: 5V/3A, 9V/2A, 12V/1.5A
Type-C Cable Output: 5V/3A, 9V/2.22A, 12V/1.67A
Lightning Output: 5V/3A, 9V/2.22A, 12V/1.67A
Wireless Output: 3W
Output: 15W (Total Max)
Dimensions: 86*37.7*29mm
Weight: 140±10g



P278W

ENTRY LEVEL POWER BANK

5000mAh / 10000mAh / 20000mAh



SPECS

Model: P252A
Type-C*2, USB-A*1
Capacity: 20000mAh, 3.7, 74Wh
Type-C1 Input/Output: 5V/3A
Type-C2 Output: 5V/3A
USB-A Output: 5V/3A
Output: 15W (Total Max)
Dimensions: 67*141.5*28mm
Weight: 410g±10g

Model: P252D
Type-C*2, USB-A*1
Capacity: 20000mAh, 3.7V, 74Wh
Type-C1/C2 Input: 5V/3A, 9V/2A, 12V/1.5A
Type-C1/C2 Output: 5V/3A, 9V/2.22A, 12V/1.67A
USB-A Output: 5V/2.4A, 9V/2A, 12V/1.5A
Qutput: 15W (Total Max)
Dimensions: 67*141.5*28mm
Weight: 410g±10g

Model: P250A
Type-C*2, USB-A*1
Capacity: 10000mAh, 3.7V, 37Wh
Type-C1 Input/Output: 5V/3A
Type-C2 Output: 5V/3A
USB-A Output: 5V/3A
Output: 15W (Total Max)
Dimensions: 95*65*27.6mm
Weight: 230g±10g

Model: P250D
Type-C*2, USB-A*1
Capacity: 10000mAh, 3.7V, 37Wh
Type-C1/C2 Input: 5V/3A, 9V/2A, 12V/1.5A
Type-C1/C2 Output: 5V/3A, 9V/2.22A, 12V/1.67A
USB-A Output: 5V/2.4A, 9V/2A, 12V/1.5A
Output: 15W (Total Max)
Dimensions: 95*65*27.6mm
Weight: 230g±10g

Model: P249A
Type-C*1, USB-A*1
Capacity: 5000mAh, 3.7V, 18.5Wh
Type-C Input: 5V/2.4A (Max)
Type-C Output: 5V/2.4A (Max)
USB-A Output: 5V/2.4A (Max)
Output: 15W (Total Max)
Dimensions: 95*60*15mm
Weight: 130g±10g



ENTRY LEVEL POWER BANK WITH DIGITAL DISPLAY

5000mAh / 10000mAh / 20000mAh



P267A / P267D



P265A / P265D



P264A

SPECS

Model: P267A
Type-C*2, USB-A*1
Capacity: 20000mAh, 3.7V, 74Wh
Type-C1 Input/Output: 5V/3A
Type-C2 Output: 5V/3A
USB-A Output: 5V/3A
Output: 15W (Total Max)
Dimensions: 67*141.5*28mm
Weight: 410g±10g

Model: P267D
Type-C*2, USB-A*1
Capacity: 20000mAh, 3.7V, 74Wh
Type-C1/C2 Input: 5V/3A, 9V/2A, 12V/1.5A
Type-C1/C2 Output: 5V/3A, 9V/2.22A, 12V/1.67A
USB-A Output: 5V/2.4A, 9V/2A, 12V/1.5A
Output: 15W (Total Max)
Dimensions: 140*70*27.6mm
Weight: 420g±10g

Model: P265A
Type C*2, USB-A*1
Capacity 10000mAh, 3.7V, 37Wh
Type-C1 Input/Output: 5V/3A
Type C2 Output: 5V/3A
USB-A Output: 5V/3A
Output: 15W (Total Max)
Dimensions: 67*95.5*28mm
Weight: 225g±10g


Model: P265D
Type-C*2, USB-A*1
Capacity: 10000mAh, 3.7V, 37Wh
Type-C1/C2 Input: 5V/3A, 9V/2A, 12V/1.5A
Type-C1/C2 Output: 5V/3A, 9V/2.22A, 12V/1.67A
USB-A Output: 5V/2.4A, 9V/2A, 12V/1.5A
Output: 15W (Total Max)
Dimensions: 67*95.5*28mm
Weight: 225g±10g

Model: P264A
Type-C*1, USB-A*1
Capacity: 5000mAh, 3.7V, 18.5Wh
Type-C Input/Output: 5V/3A
USB-A Output: 5V/3A (Total Max)
Output: 15W (Total Max)
Dimensions: 61.9*94.9*15mm
Weight: 120g±10g



MAGSAFE COMPATIBLE POWER BANK WITH STAND

5000mAh



P246W5



SPECS

Model: P246W5
Type-C*1, Wireless*1
Capacity: 5000mAh, 3.7V, 18.5Wh
Type-C Input: 5V/3A, 9V/2.22A, 12V/1.67A
Type-C Output: 5V/3A, 9V/2.22A, 12V/1.67A
Wireless Output: 5W/7.5W/10W/15W
Output: 15W (Total Max)
Dimensions: 94*65*14.8mm
Weight: 135g±10g



POWER BANK WITH BUILT-IN CABLE & MAGNET

5000mAh/10000mAh



P268D



P269D



SPECS

Model: P268D
Type-C*2
Capacity: 5000mAh, 3.7V, 18.5Wh
Type-C 1 Input: 5V/3A, 9V/2A, 12V/1.5A
Type-C 1 Output: 5V/3A, 9V/2.22A, 12V/1.67A
Type-C cable Input: 5V/3A, 9V/2A, 12V/1.5A
Type-C cable Output: 5V/3A, 9V/2.22A, 12V/1.67A
Output: 15W (Total Max)
Dimensions: 92*66*14mm
Weight: 135g±10g

Model: P269D
Type-C*2
Capacity: 10000mAh, 3.7V, 37Wh
Type-C 1 Input: 5V/3A, 9V/2A, 12V/1.5A
Type-C 1 Output: 5V/3A, 9V/2.22A, 12V/1.67A
Type-C cable Input: 5V/3A, 9V/2A, 12V/1.5A
Type-C cable Output: 5V/3A, 9V/2.22A, 12V/1.67A
Output: 15W (Total Max)
Dimensions: 127*71*16mm
Weight: 235g±10g

PD ⚡ 3.0

PD ⚡ 3.0 ⚡ Qualcomm
quick charge 3.0 ⚡



MINI-MAGSAFE POWER BANK

Slim & Soft-touch
Wireless Output 7.5W Max




SPECS

Model: P220W5
Type-C*1 Wireless*1
Capacity: 5000mAh, 3.7V, 18.5Wh
Type-C Input: 5V/3A, 9V/2A
Type-C Output: 5V/2.4A
Wireless Output: 7.5W
Output: 12W(Max)
Dimensions: 92*61.3*14.5mm
Weight: 130±10g

2-IN-1 PD POWER BANK WITH FOLDABLE AC WALL PLUG

5000mAh / 10000mAh / 20000mAh



P281D

P280D

P279D



SPECS

Model: P279D
Type-C*1, AC*1
Capacity: 5000mAh, 3.7V, 18.5Wh
AC Input: 100~240V 50/60Hz 0.8A(Max)
Type-C Input: 5V/3A, 9V/2.22A, 12V/1.67A
Type-C Output: 5V/3A, 9V/2.22A, 12V/1.67A(Max 20W)
Dimensions: 30.5*30.5*120mm
Weight: 140g±10g

Model: P280D-20W
Type-C*1, USB-A*1, AC*1
Capacity: 10000mAh, 3.7V, 37Wh
AC Input: 100~240V 50/60Hz 1.63A(Max)
Type-C Input: 5V/3A, 9V/2.22A, 12V/1.67A
Type-C Output: 5V/3A, 9V/2.22A, 12V/1.67A
USB-A Output: 5V/3A, 9V/2A, 12V/1.5A
Output Shared: 15W Max
Dimensions: 32.5*50*115mm
Weight: 230g±10g

Model: P280D-30W
Type-C*1, USB-A*1, AC*1
Capacity: 10000mAh, 3.7V, 37Wh
AC Input: 100~240V 50/60Hz 1.63A(Max)
Type-C Input: 5V/3A, 9V/2.22A, 12V/1.67A, 15V/1.33A
Type-C Output: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A(Max 30W)
USB-A Output: 5V/3A, 9V/2A, 12V/1.5A
Output Shared: 15W Max
Dimensions: 32.5*50*115mm
Weight: 230g±10g

Model: P281D
Type-C*1, USB-A*1, AC*1
Capacity: 20000mAh, 3.7V, 74Wh
AC Input: 100~240V 50/60Hz 2.3A(Max 30W)
Type-C Input: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
Type-C Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A(Max 65W)
USB-A Output: 5V/3A, 9V/2A, 12V/1.5A
Output Shared: 15W Max
Dimensions: 49*49*123.5mm
Weight: 425g±10g

HIGH-POWER POWER BANK SERIES

20000mAh / 25000mAh / 25000mAh
Total Output 110W / 145W / 208WMax



P285D



P288D



P289D

SPECS

Model: P285D
Type-C*2, USB-A*1
Capacity: 20000mAh, 3.7V, 74Wh
Type-C 1 Input: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
Type-C 1 Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
Type-C 2 Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A
USB-A Output: 5V/3A, 9V/2A, 12V/1.5A, 5V/4.5A
Output: 110W (Total Max)
Dimensions: 46*160*38mm
Weight: 450±10g

Model: P288D
Type-C*2, USB-A*1
Capacity: 25000mAh, 3.7V, 92.5Wh
Type-C 1 Input: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A
Type-C 1 Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A
Type-C 2 Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A
USB-A Output: 5V/3A, 9V/2A, 12V/1.5A, 5V/4.5A
Output: 145W (Total Max)
Dimensions: 46*160*46mm
Weight: 450±10g

Model: P289D
Type-C*2, USB-A*2
Capacity: 25000mAh, 3.7V, 92.5Wh
Type-C 1 Input: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 28V/5A
Type-C 1 Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 28V/5A
Type-C 2 Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A
USB-A1/A2 Output: 5V/3A, 9V/2A, 12V/1.5A, 5V/4.5A
Output: 208W (Total Max)
Dimensions: 46*160*46mm
Weight: 450±10g

50000mAh POWER BANK PD100W

Support Macbook & Laptop & Portable Devices



P213D-Pro



P213D-PV

SPECS

Model: P213D-Pro
Type-C*3 USB-A*2
Capacity: 50000mAh, 3.7V, 185Wh
Type-C 1 Input: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A
Type-C 1 Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A
Type-C 2 Output: 5V/3A, 9V/2.22A, 12V/1.67A
Type-C 3 Output: 5V/3A, 9V/2.22A, 12V/1.67A
USB-A Output: 5V/2.4A, 9V/2A, 12V/1.5A
Total Output: 105W Max
Dimensions: 144.5*84*84mm
Weight: 1280g±10g

Model: P213D-PV
Type-C*2 USB-A*1 DC7909*1
Capacity: 50000mAh, 3.7V, 185Wh
PV/DC Input: 120W Max
Type-C 1 Input: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A
Type-C 1 Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A
Type-C 2 Output: 5V/3A, 9V/2.22A, 12V/1.67A
USB-A Output: 5V/2.4A, 9V/2A, 12V/1.5A
Total Output: 120W Max
Dimensions: 144.5*84*84mm
Weight: 1280g±10g



PD ⚡ 3.0 ⚡ Qualcomm quick charge 3.0 ⚡ Qualcomm quick charge 4+



80000mAh POWER BANK WITH PV INPUT AND CAR-PORT

Support Macbook & Laptop & Portable Devices



SPECS

Model: P233D

Type-C*2, USB-A*2, DC7909*1, Car Charge*1

Capacity: 80000mAh, 3.7V, 296Wh

PV(DC7909) Input: 120W (24V/5A)

Type-C1 Output: 5V/3A, 9V/2.22A, 12V/1.67A

Type-C2 Input/Output: PD5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A

USB-A1 Output: 5V/2.4A, 9V/2A, 12V/1.5A

USB-A2 Output: 5V/2.4A, 9V/2A, 12V/1.5A, SCP4.5V/5A

Output: 120W (Total Max)

Car Charger Output: 120W(Max)

Dimensions: 181*113*100mm

Weight: 1950g±10g

MINI-COLORFUL POWER BANK SERIES

PD ⚡ 3.0

P302A 5000mAh
P303A/P303D 10000mAh
P304A/P304D 20000mAh



P302A



P303A/P303D



P304A/P304D



SPECS

Model: P302A
Type-C*1
Capacity: 5000mAh, 3.7V, 18.5Wh
Type-C Input: 5V/2.4A
Type-C Output: 5V/2.4A
Output: 12W (Max)
Dimensions: 90*62*15.3mm
Weight: 105±10g

Model: P303A
Type-C*2
Capacity: 10000mAh, 3.7V, 37Wh
Type-C 1 Input: 5V/3A
Type-C 1 Output:5V/3A
Type-C 2 Output: 5V/3A
Output: 15W (Max)
Dimensions:91*63.2*27.8mm
Weight:195±10g

Model: P303D
Type-C*2
Capacity: 10000mAh, 3.7V, 37Wh
Type-C 1 Input: 5V/3A, 9V/2A, 12V/1.5A
Type-C 2 Input: 5V/3A, 9V/2A, 12V/1.5A
Type-C 1 Output: 5V/3A, 9V/2.22A, 12V/1.67A
Type-C 2 Output: 5V/3A, 9V/2.22A, 12V/1.67A
Output:20W (Max)
Dimensions:91*63.2*27.8mm
Weight:195±10g

Model: P304A
Type-C*2
Capacity: 20000mAh, 3.7V, 74Wh
Type-C 1 Input: 5V/3A
Type-C 1 Output: 5V/3A
Type-C 2 Output: 5V/3A
Output: 15W (Max)
Dimensions: 136.5*68*27.8mm
Weight: 380±10g

Model: P304D
Type-C*2
Capacity: 20000mAh, 3.7V, 74Wh
Type-C 1 Input: 5V/3A, 9V/2A, 12V/1.5A
Type-C 2 Input: 5V/3A, 9V/2A, 12V/1.5A
Type-C 1 Output: 5V/3A, 9V/2.22A, 12V/1.67A
Type-C 2 Output: 5V/3A, 9V/2.22A, 12V/1.67A
Dimensions:136.5*68*27.8mm
Weight:380±10g

MINI-BUILT-IN CABLE POWER BANK SERIES

PD ⚡ 3.0

P230A	5000mAh
P231A/P231D	10000mAh
P232A/P232D	20000mAh

P230A



P231A/P231D



P232A/P232D



SPECS

Model: P230A
Type-C*2
Capacity: 5000mAh, 3.7V, 18.5Wh
Type-C 1 Input:5V/2.4A
Type-C 1 Output:5V/2.4A
Type-C 2 Output:5V/2.4A
Output: 12W (Max)
Dimensions: 90.2*61.4*13mm
Weight: 105±10g

Model: P231A
Type-C*2
Capacity 10000mAh, 3.7V, 37Wh
Type-C 1 Input: 5V/3A
Type-C 1 Output: 5V/3A
Type-C 2 Output: 5V/3A
Output: 15W (Max)
Dimensions: 90*63.2*23.3mm
Weight: 200±10g

Model: P231D
Type-C*2
Capacity 10000mAh, 3.7V, 37Wh
Type-C 1 Input: 5V/3A, 9V/2A, 12V/1.5A
Type-C 2 Input: 5V/3A, 9V/2A, 12V/1.5A
Type-C 1 Output: 5V/3A, 9V/2.22A, 12V/1.67A
Type-C 2 Output: 5V/3A, 9V/2.22A, 12V/1.67A
Output: 20W (Max)
Dimensions: 90*63.2*23.3mm
Weight: 200±10g

Model: P232A
Type-C*2
Capacity 20000mAh, 3.7V, 74Wh
Type-C 1 Input: 5V/3A
Type-C 1 Output: 5V/3A
Type-C 2 Output: 5V/3A
Output: 15W (Max)
Dimensions: 136.5*68*27.8mm
Weight: 385±10g

Model: P232D
Type-C*2
Capacity 20000mAh, 3.7V, 74Wh
Type-C 1 Input: 5V/3A, 9V/2A, 12V/1.5A
Type-C 2 Input: 5V/3A, 9V/2A, 12V/1.5A
Type-C 1 Output: 5V/3A, 9V/2.22A, 12V/1.67A
Type-C 2 Output: 5V/3A, 9V/2.22A, 12V/1.67A
Output: 20W (Max)
Dimensions: 136.5*68*27.8mm
Weight: 385±10g

MINI-LEATHER POWER BANK SERIES

PD ⚡ 3.0

P305A	5000mAh
P306A/P306D	10000mAh
P307A/P307D	20000mAh



P305A



P306A/P306D



P307A/P307D

SPECS

Model: P305A
Type-C*1
Capacity: 5000mAh, 3.7V, 18.5Wh
Type-C Input: 5V/2.4A
Type-C Output: 5V/2.4A
Output: 12W (Max)
Dimensions: 90*62*15.8mm
Weight: 105±10g

Model: P306A
Type-C*2
Capacity: 10000mAh, 3.7V, 37Wh
Type-C 1 Input: 5V/3A
Type-C 1 Output: 5V/3A
Type-C 2 Output: 5V/3A
Output: 15W (Max)
Dimensions: 91*63.2*27.8mm
Weight: 195±10g

Model: P306D
Type-C*2
Capacity: 10000mAh, 3.7V, 37Wh
Type-C 1 Input: 5V/3A, 9V/2A, 12V/1.5A
Type-C 2 Input: 5V/3A, 9V/2A, 12V/1.5A
Type-C 1 Output: 5V/3A, 9V/2.22A, 12V/1.67A
Type-C 2 Output: 5V/3A, 9V/2.22A, 12V/1.67A
Output: 20W (Max)
Dimensions: 91*63.2*27.8mm
Weight: 195±10g

Model: P307A
Type-C*2
Capacity: 20000mAh, 3.7V, 74Wh
Type-C 1 Input: 5V/3A
Type-C 1 Output: 5V/3A
Type-C 2 Output: 5V/3A
Output: 15W (Max)
Dimensions: 136.5*68*27.8mm
Weight: 380±10g

Model: P307D
Type-C*2
Capacity: 20000mAh, 3.7V, 74Wh
Type-C 1 Input: 5V/3A, 9V/2A, 12V/1.5A
Type-C 2 Input: 5V/3A, 9V/2A, 12V/1.5A
Type-C 1 Output: 5V/3A, 9V/2.22A, 12V/1.67A
Type-C 2 Output: 5V/3A, 9V/2.22A, 12V/1.67A
Dimensions: 136.5*68*27.8mm
Weight: 380±10g

TEXTURING POWER BANK SERIES

P174/P174A/P174D 10000mAh

P175/P175A/P175D 20000mAh



P174/P174A/P174D



P175/P175A/P175D

PD ⚡ 3.0

 Qualcomm
quick charge 3.0

TEXTURING POWER BANK

10000mAh Li-Polymer



SPECS

Model: P174
USB-A*2, Type-C*1, Micro*1
Capacity: 10000mAh, 3.7V, 37Wh
Type-C Input: 5V/2A
USB-A Output: 5V/2.4A
Micro USB Input: 5V/2A
Output: 12W (Max)
Dimensions: 132*68*15.7mm
Weight: 215g

Model: P174A
USB-A*1, Type-C*2
Capacity: 10000mAh, 3.7V, 37Wh
Type-C1 Input/Output: 5V/3A
Type-C2 Output: 5V/3A
USB-A Output: 5V/3A
Output: 15W (Max)
Dimensions: 15.7*68*132mm
Weight: 212g±10g

Model: P174D
USB-A*1, Type-C*2
Capacity: 10000mAh, 3.7V, 37Wh
Type-C1/C2 Input: 5V/3A, 9V/2A, 12V/1.5A
Type-C1/C2 Output: 5V/3A, 9V/2.22A, 12V/1.67A
USB-A Output: 5V/3A, 9V/2A, 12V/1.5A
Output: 20W (Max)
Dimensions: 15.7*68*132mm
Weight: 212g±10g

TEXTURING POWER BANK

20000mAh Li-Polymer



SPECS

Model: P175
USB-A*2, Type-C*1, Micro*1
Capacity: 20000mAh, 3.7V, 74Wh
Type-C Input: 5V/2A
USB-A Output: 5V/2.4A
Micro USB Input: 5V/2A
Output: 12W (Max)
Dimensions: 135*74*27.6mm
Weight: 385g

Model: P175A
USB-A*1, Type-C*2
Capacity: 20000mAh, 3.7V, 74Wh
Type-C1 Input/Output: 5V/3A
Type-C2 Output: 5V/3A
USB-A Output: 5V/3A
Output: 15W (Max)
Dimensions: 27.6*74*135mm
Weight: 384g±10g

Model: P175D
USB-A*1, Type-C*2
Capacity: 20000mAh, 3.7V, 74Wh
Type-C1/C2 Input: 5V/3A, 9V/2A, 12V/1.5A
Type-C1/C2 Output: 5V/3A, 9V/2.22A, 12V/1.67A
USB-A Output: 5V/3A, 9V/2A, 12V/1.5A
Output: 20W (Max)
Dimensions: 27.6*74*135mm
Weight: 384g±10g

FABRIC POWER BANK SERIES

P176A/P176D 10000mAh

P177A/P177D 20000mAh



P176A/P176D




P177A/P177D

PD ⚡ 3.0  **Qualcomm quick charge 3.0**

FABRIC POWER BANK WITH USB-C IN&OUT

10000/20000mAh Li-Polymer
Double-sided Leather/Fabric



PD ⚡ 3.0  Qualcomm quick charge 3.0

SPECS

Model: P176A
USB-A*2 Type-C*1
Capacity: 10000mAh, 3.7V, 37Wh
Type-C Input/Output: 5V/3A
USB-A Output: 5V/2.4A
Output: 15W (Max)
Dimensions: 133.5*70*16.8mm
Weight:215g

Model: P176D
USB-A*2 Type-C*1
Capacity: 10000mAh, 3.7V, 37Wh
Type-C Input/Output: 5V/3A, 9V/2.2A, 12V/1.67A
USB-A Output: 5V/2.4A, 9V/2A, 12V/1.5A
Output: 20W (Max)
Dimensions: 133.5*70*16.8mm
Weight: 215g

Model: P177A
USB-A*2 Type-C*1
Capacity: 20000mAh, 3.7V, 74Wh
Type-C Input/Output: 5V/3A
USB-A Output: 5V/2.4A
Output: 15W (Max)
Dimensions: 136*74*28.5mm
Weight:380g

Model: P177D
USB-A*2 Type-C*1
Capacity: 20000mAh, 3.7V, 74Wh
Type-C Input/Output: 5V/3A, 9V/2.22A, 12V/1.67A
USB-A Output: 5V/2.4A, 9V/2A, 12V/1.5A
Output: 20W (Max)
Dimensions: 136*74*28.5mm
Weight: 380g

PD 65W/45W & QC 27W TEXTURING POWER STATION SERIES

H35D 15000mAh
H45D 20000mAh



H35D



H45D

PD ⚡ 3.0 ⚡ Qualcomm quick charge 3.0 ⚡ Qualcomm quick charge 4+



PD 65W & QC 27W TEXTURING POWER STATION SERIES

15000mAh Li-Polymer 45W (Max)

20000mAh Li-Polymer 65W (Max)

Support Macbook & Laptop & Portable Devices



SPECS

Model: H35D

USB-A*1 Type-C*1

Capacity: 15000mAh, 3.7V, 55.5Wh

Type-C Input: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A

Type-C Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A

USB-A Output: 5V/3A, 9V/3A, 12V/2.25A

Output: 45W (Max)

Dimensions: 149*75*20.5mm

Weight: 330±10g

Model: H45D

USB-A*1 Type-C*1

Capacity: 20000mAh, 3.7V, 74Wh

Type-C Input: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A

Type-C Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A

USB-A Output: 5V/3A, 9V/3A, 12V/2.25A

Output: 65W (Max)

Dimensions: 152*77*25.8mm

Weight: 440±10g

PD 65W/45W & QC 27W FABRIC POWER
STATION SERIES

H35D-1 15000mAh
H45D-1 20000mAh



H45D-1



H35D-1



PD 45W & QC 27W FABRIC POWER STATION

15000mAh Li-Polymer 45W (Max)
20000mAh Li-Polymer 65W (Max)
Support Macbook & Laptop & Portable Devices



SPECS

Model: H35D-1
USB-A*1 Type-C*1
Capacity: 15000mAh, 3.7V, 55.5Wh
Type-C Input: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
Type-C Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
USB-A Output: 5V/3A, 9V/3A, 12V/2.25A
Output: 45W (Max)
Dimensions: 149*75*21.5mm
Weight:330±10g

Model: H45D-1
USB-A*1 Type-C*1
Capacity: 20000mAh, 3.7V, 74Wh
Type-C Input: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
Type-C Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
USB-A Output: 5V/3A, 9V/3, 12V/2.25A
Output: 65W (Max)
Dimensions: 152*77*28mm
Weight: 430±10g

OUTDOOR FOLDABLE SOLAR CHARGER

S30 32W Max Output



SPECS

Model: S30
Type-C*1 USB-A*2
Type-C Output: 5V/3A, 9V/3A, 12V/2.5A 15V/2A
USB-A Output: 5V/2.4A
Output:32W(Max)
Dimensions: 204*280mm (Folded) 816.5*280mm(Unfolded)